



Biscuit & Rusk Packing Machine (AR-300)

Dedicated biscuit and rusk packing machine
with consistent dry-product sealing.

INDUSTRIAL PACKAGING





PRODUCT OVERVIEW

Biscuit & Rusk Packing Machine

The AR-300 is purpose-built for biscuit and rusk packaging. It handles dry bakery products with stable transfer, controlled sealing, and reliable operation for stackable and single-row pack formats.

KEY FEATURES

- Optimized for dry bakery product handling
- Consistent sealing for stackable packs
- 80-100 packs/min throughput
- Heavy-duty 1,000 KG construction
- Designed to reduce product breakage during transfer

APPLICATIONS

Biscuits

Rusk

Crackers

Dry bakery stacks

BENEFITS

- Reliable sealing for production consistency
- Designed for industrial duty cycles
- Local manufacturing support and spare parts
- Configured around product, film and output target

MACHINE GALLERY

Production visuals



TECHNICAL HIGHLIGHTS

Start / Stop

Soft start and soft stop

Size of Pack (L x W x H)

80-200 x 10-75 x 40-80 mm

Machine Dimensions (L x W x H)

3990 x 1650 x 1650 mm

Machine Weight

1,000 KG

Film Reel (Outer / Core Diameter)

300 / 70 mm

Conveyor Length

10 ft

Machine Capacity

Up to 80-100 packs / minute

Electric Motor

1 HP + 0.5 HP



COMPANY CONTACT


AL RAHEEM ENGINEERING

WEBSITE arengineering.com

EMAIL info@arengineering.com

PHONE 0303-4142423

ADDRESS Iqbal Chowk, Ashayana Road, Bank Stop, Lahore,
Pakistan



QR code placeholder

Reliable packaging solutions engineered for industry.

This brochure is prepared as a replaceable sales document. Product configuration, output speed and final specifications may be confirmed during quotation.