



Flow Wrap Machine (AR-200)

High-speed flow wrap machine for food and soap applications up to 200 packs per minute.

INDUSTRIAL PACKAGING





PRODUCT OVERVIEW

Flow Wrap Machine

The AR-200 Flow Wrap Machine delivers high-speed horizontal wrapping for bakery, confectionery, wafer, biscuit, and soap products. Its heavy frame and drive system are made for consistent seal quality at speed.

KEY FEATURES



High-speed operation up to 200 packs/min



Robust 850 KG industrial frame



Consistent heat sealing across speed range



Quick adjustment for different product sizes



Proven for food and soap packaging lines

APPLICATIONS

Muffin cake

Chocolates

Wafers

Biscuits

Soap

BENEFITS



Reliable sealing for production consistency



Designed for industrial duty cycles



Local manufacturing support and spare parts



Configured around product, film and output target

MACHINE GALLERY

Production visuals



TECHNICAL HIGHLIGHTS

Start / Stop

Soft start and soft stop

Size of Pack (L x W x H)

Dynamic according to food or soap product

Machine Dimensions (L x W x H)

High-speed horizontal flow wrap frame

Machine Weight

850 KG

Film Reel (Outer / Core Diameter)

Standard flow wrap film reel

Conveyor Length

Configured according to product infeed

Machine Capacity

Up to 200 packs / minute

Electric Motor

High-speed flow wrap drive system



COMPANY CONTACT


AL RAHEEM ENGINEERING

WEBSITE arengineering.com

EMAIL info@arengineering.com

PHONE 0303-4142423

ADDRESS Iqbal Chowk, Ashayana Road, Bank Stop, Lahore,
Pakistan



QR code placeholder

Reliable packaging solutions engineered for industry.

This brochure is prepared as a replaceable sales document. Product configuration, output speed and final specifications may be confirmed during quotation.