



Flow Wrap Machine (AR-210)

Horizontal flow wrapper for biscuits, chocolates, wafers, and soap up to 100 packs/min.

INDUSTRIAL PACKAGING





PRODUCT OVERVIEW

Flow Wrap Machine

The AR-210 Horizontal Flow Wrap Machine wraps individual products in continuous film with stable speed, registration, and sealing. It is suitable for bakery, confectionery, and soap packaging lines.

KEY FEATURES



Horizontal flow wrap configuration



Wide pack size range for diverse products



Single-phase power for flexible installation



Stable 1,000 KG frame for production operation



Suitable for food and non-food applications

APPLICATIONS

Biscuits

Chocolates

Wafers

Muffin cake

Soap bars

BENEFITS



Reliable sealing for production consistency



Designed for industrial duty cycles



Local manufacturing support and spare parts



Configured around product, film and output target

MACHINE GALLERY

Production visuals



TECHNICAL HIGHLIGHTS

Start / Stop

Soft start and soft stop

Size of Pack (L x W x H)

100-300 x 25-75 x 40-80 mm

Machine Dimensions (L x W x H)

3990 x 1650 x 1650 mm

Machine Weight

1,000 KG

Film Reel (Outer / Core Diameter)

300 / 70 mm

Conveyor Length

10 ft

Machine Capacity

Up to 100 packs / minute

Electric Motor

1 HP + 2 HP



COMPANY CONTACT


AL RAHEEM ENGINEERING

WEBSITE arengineering.com

EMAIL info@arengineering.com

PHONE 0303-4142423

ADDRESS Iqbal Chowk, Ashayana Road, Bank Stop, Lahore,
Pakistan



QR code placeholder

Reliable packaging solutions engineered for industry.

This brochure is prepared as a replaceable sales document. Product configuration, output speed and final specifications may be confirmed during quotation.